

ORIGINAL

RESOLUTION NO. 739

RESOLUTION FOR INDUSTRIAL ZONED AREAS POLICY

WHEREAS, the East Wenatchee Water District serves areas that are considered “Industrial”, and

WHEREAS, the East Wenatchee Water District is required to provide storage for “Critical Facilities”, and


WHEREAS, a “Critical Facility” is defined as a facility where the minimum amount gravity storage required (standby storage) to supply the facility during a major supply (pump station or hydraulic control valve) outage may be higher than that for non-critical facilities. The amount of standby storage will be no less than 24 hours at the average of the facility’s maximum day water consumption rate. Examples of critical facilities or high system demand functions that require uniqueness may include but are not limited to: agriculture processing and storage, governmental facilities, hazardous materials facilities, health care facilities medical buildings with multi-day patient rooms and facilities housing computer or electronic systems that use water for cooling, and

WHEREAS, areas with a land use designation that includes “Industrial” in the name must have two or more water supplies, and

WHEREAS, the following facilities qualify as a water supply if they have the capacity to meet the maximum day consumption on their own: (1) A pump station. (2) A hydraulic control valve (or series of hydraulic control valves) supplying water from a higher-pressure zone, but only if the pumping capacity to that higher zone also meets this definition of a water supply. (3) A normally closed intertie with a water source that can be activated within 12 hours of a major supply outage, and

NOW THEREFORE BE IT HERE RESOLVED, by the BOARD OF COMMISSIONERS of the EAST WENATCHEE WATER DISTRICT, that facilities requesting new service or an existing facility that increases their consumption rate, are responsible for contributing their proportionate financial share to construct new infrastructure (if needed) to meet these policies. At the District’s discretion, new infrastructure may need to be sized larger, in which case a reimbursement (latecomers) charge may be considered or the District may elect to participate financially. Also, this policy will not apply retroactively to facilities currently in service prior to the date this policy is signed and at the actual water consumption rate effective at that time, unless the owners of said facilities request to be included and provide funding to support their request.

ADOPTED, by the BOARD OF COMMISSIONERS of the EAST WENATCHEE WATER DISTRICT, Douglas County, Washington at a regular meeting thereof, this 7th day of October 2020.



Terry Barnes, President

ATTEST:



Nick Warner, Secretary